Brain Research, 448 (1988) 407–409
Elsevier

Author Index

Abate, C., see Milner, T.A., 205
Aebischer, P., Winn, S.R. and Galletti, P.M., Transplantation of neural tissue in polymer capsules, 364
Alloway, K.D., see Burton, H., 397
Apostolides, P.J., see Finkelstein, S.P., 346
Auroy, P., see Dallel, R., 7

Balazs, R., see Kingsbury, A., 46
Benowitz, L.I., see Finkelstein, S.P., 346
Bigon, E., see Vantini, G., 252
Boegman, R.J., Parent, A. and Hawkes, R., Zonation in the rat cerebellar cortex: patches of high acetylcholinesterase activity in the granular layer are congruent with Purkinje cell compartments, 237
Boeijinga, P.H. and Lopes da Silva, F.H., Differential distribution of β and θ activity in the entorhinal cortex of the cat, 272
Budd, T., Clinton, P., Dell, A., Duce, I.R., Johnson, S.J., Quicke, D.L.J., Taylor, G.W., Usherwood, P.N.R. and Usoh, G., Isolation and characterisation of glutamate receptor antagonists from venoms of orb-web spiders, 30
Burton, H., Alloway, K.D. and Rosenthal, P., Somatotopic organization of the second somatosensory cortical area after lesions of the primary somatosensory area in infant and adult cats, 397

Caday, C.G., see Finkelstein, S.P., 346
Caille, D., see Vibert, J.-F., 403
Carey, R.G., see Horn, K.M., 386
Carvell, G.E. and Simons, D.J., Membrane potential changes in rat SmI cortical neurons evoked by controlled stimulation of mystacial vibrissae, 186
Chang, H.T., Substance P–dopamine relationship in the rat substantia nigra: a light and electron microscopy study of double immunocytochemically labeled materials, 391
Clinton, P., see Budd, T., 30
Coleman, P.D., see West, M.J., 167
Collier, T.J., Gash, D.M. and Sladek Jr., J.R., Transplantation of norepinephrine neurons into aged rats improves performance of a learned task, 77
Correa, F.M.A., Guilhaume, S.S. and Saavedra, J.M., A simple two-step immunocytochemical method using protein A-peroxidase to stain immunoreactive cell antigens, 192
Corrodi, J.G., see Danielson, P.D., 158
Crunelli, V., see Soltesz, I., 351
Cuello, A.C., see Stephens, P.H., 320

Dallel, R., Raboisson, P., Auroy, P. and Woda, A., The rostral part of the trigeminal sensory complex is involved in orofacial nociception, 7
Danger, J.M., see Vallarino, M., 67
Danielson, P.D., Zottoli, S.J., Corrodi, J.G., Rhodes, K.J. and Mufson, E.J., Localization of choline acetyltransferase to somata of posterior lateral line efferents in the goldfish, 158
DeLanney, L.E., see Forno, L.S., 150
Dell, A., see Budd, T., 30
Depaulis, A., Vergnes, M., Marescaux, C., Lannes, B. and Warter, J.-M., Evidence that activation of GABA receptors in the substantia nigra suppresses spontaneous spike- and wave-discharges in the rat, 20
Dewey, A.L., Wright, J.W., Hanesworth, J.M. and Harding, J.W., Effects of aminopeptidase inhibition on the half-lives of [^{125}I]angiotensins in the cerebroventricles of the rat, 369
Dixon, C.E., see Lyeth, B.G., 88
Doe, K., see Shigenaga, Y., 331
Duce, I.R., see Budd, T., 30

Ebina, Y., see Shingai, R., 198
Ebner, F.F., see Höhmann, C.F., 53
Edwards, E., see Olsen, K.L., 223
Eriksson, S., Simon-Oppermann, C., Simon, E. and Gray, D.A., Occlusion of rostroventral 3rd ventricle abolishes drinking but not AVP release in response to central osmotic stimulation, 121

Faden, A.I., Sacksen, I. and Noble, L.J., Structure–activity relationships of TRH analogs in rat spinal cord injury, 287
Fasolo, A., see Vallarino, M., 67
Finkelstein, S.P., Apostolides, P.J., Caday, C.G., Philips, M.F., Perrone-Bizzozero, N.I. and Benowitz, L.I., A factor from the injured lower vertebrate CNS promotes outgrowth from human fetal brain neurons, 346
Flood, D.G., see West, M.J., 167
Flood, J.F. and Roberts, E., Dehydroepiandrosterone sulfate improves memory in aging mice, 178
Forno, L.S., Langston, J.W., DeLanney, L.E. and Irwin, I., An electron microscopic study of MPTP-induced inclusion bodies in an old monkey, 150
Foutz, A.S., see Vibert, J.-F., 403
Franklin, S.O., see Inturrisi, C.E., 230
Fusco, M., see Vantini, G., 252

Galletti, P.M., see Aebischer, P., 364
Gallo, V., see Kingsbury, A., 46
Gash, D.M., see Collier, T.J., 77
Gatti, P.J., Souza, J.D. and Gillis, R.A., Increase in coronary vascular resistance produced by stimulating neurons in the region of the area postrema of the cat, 313
Gillis, R.A., see Gatti, P.J., 313
Gleiter, C.H., see Nutt, D.J., 377
Go, V.L.W., see Schick, R.R., 294
Gray, D.A., see Eriksson, S., 121
Guilhaume, S.S., see Correa, F.M.A., 192

Haby, M., see Soltesz, I., 351
Hamm, R.J., see Lyeth, B.G., 88
Hanesworth, J.M., see Dewey, A.L., 369
Harding, J.W., see Dewey, A.L., 369
Harding, J.W., see Jensen, L.L., 359
Harding, J.W., see King, S.J., 140
Hawkes, R., see Boegman, R.J., 237
Hayes, R.L., see Lyeth, B.G., 88
Hirai, K. and Katayama, Y., Methionine enkephalin presynap-

tically facilitates and inhibits bullfrog sympathetic ganglionic transmission, 299
Höhmann, C.F. and Ebner, F.F., Basal forebrain lesions facilitate adult host fiber ingrowth into neocortical transplants, 53
Horn, K.M. and Carey, R.G., Origin of butyrylcholinesterase in the lateral geniculate nucleus of tree shrew, 386
Huang, T., see Inturrisi, C.E., 230
Hugelin, A., see Vibert, J.-F., 403
Huneycutt, W.S., see Stein, B.E., 355

Inturrisi, C.E., LaGamma, E.F., Franklin, S.O., Huang, T., Nip, T.J. and Yoburn, B.C., Characterization of enkephalins in rat adrenal medullary explants, 230
Irwin, I., see Forno, L.S., 150

Jenkins, L.W., see Lyeth, B.G., 88
Jensen, L.L., Harding, J.W. and Wright, J.W., Central effects of a specific angiotensin receptor antagonist, sarthran (Sar^1,Thr^8AII) in normotensive and spontaneously hypertensive rat strains, 359
Johnson, S.J., see Budd, T., 30

Kai, Y., see Plata-Salamán, C.R., 106
Kashiba, A., see Uemura, S., 162
Katayama, Y., see Hirai, K., 299
Kikuchi, H., see Uemura, Y., 98
Kimura, H., see Uemura, S., 162
King, S.J., Harding, J.W. and Moe, K.E., Elevated salt appetite and brain binding of angiotensin II in mineralocorticoid-treated rats, 140
Kingsbury, A., Gallo, V. and Balazs, R., Stimulus-coupled release of amino acids from cerebellar granule cells in culture, 46
Kruk, Z.L., see Stamford, J.A., 381
Kumashiro, H., see Uemura, S., 162
Kurumiya, S. and Nakajima, S., Dopamine D_1 receptors in the nucleus accumbens: involvement in the reinforcing effect of tegmental stimulation, 1

LaGamma, E.F., see Inturrisi, C.E., 230
Langston, J.W., see Forno, L.S., 150
Lannes, B., see Depaulis, A., 20
Lawson, R.R., see Leander, J.D., 115
Lazdunski, M., see Mourre, C., 128
Leander, J.D., Lawson, R.R., Ornstein, P.L. and Zimmerman, D.M., *N*-Methyl-D-aspartic acid-induced lethality in mice: selective antagonism by phencyclidine-like drugs, 115
Leon, A., see Vantini, G., 252
Leresche, N., see Soltesz, I., 351
Linnoila, M., see Nutt, D.J., 377
Lombet, A., see Mourre, C., 128
Lopes da Silva, F.H., see Boeijinga, P.H., 272
Lyeth, B.G., Dixon, C.E., Hamm, R.J., Jenkins, L.W., Young, H.F., Stonnington, H.H. and Hayes, R.L., Effects of anticholinergic treatment on transient behavioral suppression and physiological responses following concussive brain injury to the rat, 88

Marescaux, C., see Depaulis, A., 20
McClellan, A.D., Functional regeneration of descending brainstem command pathways for locomotion demonstrated in the in vitro lamprey CNS, 339
Meaney, M.J., see Sapolsky, R.M., 182
Meredith, M.A., see Stein, B.E., 355
Millar, J., see Stamford, J.A., 381
Milner, T.A., Morrison, S.F., Abate, C. and Reis, D.J., Phenylethanolamine *N*-methyltransferase-containing terminals synapse directly on sympathetic preganglionic neurons in the rat, 205
Mitsuhiro, Y., see Shigenaga, Y., 331
Mizuno, N., see Uemura, Y., 98
Moe, K.E., see King, S.J., 140
Moll, C., see Mourre, C., 128
Mori-Okamoto, J. and Tatsuno, J., Effects of noradrenaline on the responsiveness of cultured cerebellar neurons to excitatory amino acids, 259
Morrison, S.F., see Milner, T.A., 205
Mourre, C., Moll, C., Lombet, A. and Lazdunski, M., Distribution of voltage-dependent Na^+ channels identified by high-affinity receptors for tetrodotoxin and saxitoxin in rat and human brains: quantitative autoradiographic analysis, 128
Mufson, E.J., see Danielson, P.D., 158

Nakajima, S., see Kurumiya, S., 1
Narahashi, T., see Takeda, K., 308
Nip, T.J., see Inturrisi, C.E., 230
Noble, L.J., see Faden, A.I., 287
Nutt, D.J., Gleiter, C.H. and Linnoila, M., Repeated electroconvulsive shock normalizes blood glucose levels in genetically obese mice (C57BL/6J *ob*/*ob*) but not in genetically diabetic mice (C58BL/KsJ *db*/*db*), 377

Olcese, J., Reuss, S., Stehle, J., Steinlechner, S. and Vollrath, L., Responses of the mammalian retina to experimental alteration of the ambient magnetic field, 325
Olsen, K.L., Edwards, E., Schechter, N. and Whalen, R.E., Muscarinic receptors in preoptic area and hypothalamus: effects of cyclicity, sex and estrogen treatment, 223
Oomura, Y., see Plata-Salamán, C.R., 106
Ornstein, P.L., see Leander, J.D., 115

Palij, P., see Stamford, J.A., 381
Parent, A., see Boegman, R.J., 237
Pelletier, G., see Vallarino, M., 67
Perrone-Bizzozero, N.I., see Finkelstein, S.P., 346
Philips, M.F., see Finkelstein, S.P., 346
Pittman, Q.J., see Watson, T.W.J., 40
Plata-Salamán, C.R., Oomura, Y. and Kai, Y., Tumor necrosis factor and interleukin-1β: suppression of food intake by direct action in the central nervous system, 106

Quicke, D.L.J., see Budd, T., 30

Raboisson, P., see Dallel, R., 7
Reis, D.J., see Milner, T.A., 205
Reuss, S., see Olcese, J., 325
Rhodes, K.J., see Danielson, P.D., 158
Roberts, E., see Flood, J.F., 178
Ronan, M., Anatomical and physiological evidence for electroreception in larval lampreys, 173
Rosenthal, P., see Burton, H., 397

Saavedra, J.M., see Correa, F.M.A., 192
Sacksen, I., see Faden, A.I., 287
Saint-Pierre, S., see Vallarino, M., 67
Sapolsky, R.M. and Meaney, M.J., Postmortem decay in glucocorticoid binding in human and primate brain, 182

Schechter, N., see Olsen, K.L., 223
Schick, R.R., Stevens, C.W., Yaksh, T.L. and Go, V.L.W., Chronic intraventricular administration of cholecystokinin octapeptide (CCK-8) suppresses feeding in rats, 294
Searles, C.D. and Singer, H.S., The identification and characterization of a GABAergic system in the cholinergic neuroblastoma × glioma hybrid clone NG108-15, 373
Shigenaga, Y., Yoshida, A., Mitsuhiro, Y., Doe, K. and Suemune, S., Morphology of single mesencephalic trigeminal neurons innervating periodontal ligament of the cat, 331
Shingai, R. and Ebina, Y., Some properties of membrane current fluctuations induced by kainate, quisqualate, and NMDA in cultured septal neurons of rat, 198
Simon, E., see Eriksson, S., 121
Simon-Oppermann, C., see Eriksson, S., 121
Simons, D.J., see Carvell, G.E., 186
Singer, H.S., see Searles, C.D., 373
Sladek Jr., J.R., see Collier, T.J., 77
Soltesz, I., Haby, M., Leresche, N. and Crunelli, V., The $GABA_B$ antagonist phaclofen inhibits the late K^+-dependent IPSP in cat and rat thalamic and hippocampal neurones, 351
Souza, J.D., see Gatti, P.J., 313
Stamford, J.A., Kruk, Z.L., Palij, P. and Millar, J., Diffusion and uptake of dopamine in rat caudate and nucleus accumbens compared using fast cyclic voltammetry, 381
Stehle, J., see Olcese, J., 325
Stein, B.E., Huneycutt, W.S. and Meredith, M.A., Neurons and behavior: the same rules of multisensory integration apply, 355
Steinlechner, S., see Olcese, J., 325
Stephens, P.H., Tagari, P.C. and Cuello, A.C., Age-related variations in plasticity of rat basal forebrain cholinergic neurons after cortical lesions, 320
Stevens, C.W., see Schick, R.R., 294
Stonnington, H.H., see Lyeth, B.G., 88
Suemune, S., see Shigenaga, Y., 331
Sugimoto, T., see Uemura, Y., 98

Tagari, P.C., see Stephens, P.H., 320
Takeda, K. and Narahashi, T., Chemical modification of sodium channel inactivation: separate sites for the action of grayanotoxin and tetramethrin, 308
Tatsuno, J., see Mori-Okamoto, J., 259
Taylor, G.W., see Budd, T., 30
Uemura, S., Kimura, H., Kashiba, A., Kumashiro, H. and Wada, J.A., Bifunctional roles of catecholamines in the development of amygdala kindling demonstrated by continuous intra-amygdala infusion of 6-hydroxydopamine, 162
Uemura, Y., Sugimoto, T., Kikuchi, H. and Mizuno, N., Possible origins of cerebrovascular nerve fibers showing vasoactive intestinal polypeptide-like immunoreactivity: an immunohistochemical study in the dog, 98
Usherwood, P.N.R., see Budd, T., 30
Usoh, G., see Budd, T., 30

Vallarino, M., Danger, J.M., Fasolo, A., Pelletier, G., Saint-Pierre, S. and Vaudry, H., Distribution and characterization of neuropeptide Y in the brain of an elasmobranch fish, 67
Vantini, G., Fusco, M., Bigon, E. and Leon, A., GM1 ganglioside potentiates the effect of nerve growth factor in preventing vinblastine-induced sympathectomy in newborn rats, 252
Vaudry, H., see Vallarino, M., 67
Vergnes, M., see Depaulis, A., 20
Vibert, J.-F., Foutz, A.S., Caille, D. and Hugelin, A., Respiratory rhythm multistability during sleep–wake states, 403
Vollrath, L., see Olcese, J., 325

Wada, J.A., see Uemura, S., 162
Warter, J.-M., see Depaulis, A., 20
Watson, T.W.J. and Pittman, Q.J., Somatostatin(14) and -(28) but not somatostatin(1–12) hyperpolarize CA1 pyramidal neurons in vitro, 40
West, M.J., Coleman, P.D. and Flood, D.G., Estimating the number of granule cells in the dentate gyrus with the disector, 167
Whalen, R.E., see Olsen, K.L., 223
Winn, S.R., see Aebischer, P., 364
Woda, A., see Dallel, R., 7
Wright, J.W., see Dewey, A.L., 369
Wright, J.W., see Jensen, L.L., 359

Yaksh, T.., see Schick, R.R., 294
Yoburn, B.C., see Inturrisi, C.E, 230
Yoshida, A., see Shigenaga, Y., 331
Young, H.F., see Lyeth, B.G., 88

Zimmerman, D.M., see Leander, J.D., 115
Zottoli, S.J., see Danielson, P.D., 158